ELSEVIER

Volumes 143–144, 20 December 2003

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

# Contents

Strain hardening behaviour and temperature effect on Al-2124/SiCp . . . . . 1
E. Martín, A. Forn, R. Nogué

Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors . . . . . 5
A. Jiménez-Morales, P. Aranda, J.C. Galván

Influence of material and process parameters on bursting during hydroforming process . . . . . 11
A. Lejeune, N. Boudeau, J.C. Gelin

Some properties of powder forged steel based on chromium prealloyed powders of high oxygen content . . . . . 18
A. Šalak, M. Selecká, L'. Parilák

Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions 23
A. Huerta-Cerdán, J.M. de la Rosa, C.A. González, J. Genesca

Influence of carbon and aluminium additions on the Fe–10% B (wt.) system . . . . . 28
J. Abenojar, F. Velasco, M.A. Martínez

Simulation of the compaction process of a two-level powder metallurgical part . . . . . 34
A. Bejarano, M.D. Riera, J.M. Prado

Pyrosol preparation and structural characterization of $SnO_2$ thin films . . . . . 41
A. Tucic, Z.V. Marinkovic, L. Mancic, M. Cilense, O. Miloševic

Application of a failure analysis to powder forming processes . . . . . 46
A.R. Khoei

Mechanical and tribological properties of Al–Si–Mo plasma-sprayed coatings . . . . . 52
A. Forn, J.A. Picas, M.J. Simón

Spinel effect on the mechanical properties of metal matrix composite AA6061/$(Al_2O_3)_p$ . . . . . 58
A. Forn, M. Teresa Baile, E. Rupérez

Application of the electrodeposited multilayers amorphous wires in magnetometric sensors . . . . . 62
A. García, C. Morón, M.T. Carracedo, F. Maganto

Effects of free-cutting additives on the machinability of austenitic stainless steels . . . . . 66
T. Akasawa, H. Sakurai, M. Nakamura, T. Tanaka, K. Takano

FEM simulation of the thermo-mechanical behaviour and failure of refractories—a case study . . . . . 72
K. Andreev, H. Harmuth

Mechanochemical synthesis of ceramic powders with perovskite structure . . . . . 78
B.D. Stojanovic

Hydrolytic damage study of the silane coupling region in coated silica microfibres: pH and coating type effects . . . . . 82
D. Olmos, J. González-Benito, A.J. Aznar, J. Baselga

Hot erosion behavior of carbide–metal composite coatings . . . . . 87
B.Q. Wang, Z.R. Shui

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: **http://contentsdirect.elsevier.com**

Elsevier B.V.

Preparation and electrical properties of lithium–sulfur-composite polymer batteries . . . . . 93
B.H. Jeon, J.H. Yeon, I.J. Chung

The characteristics of vacuum sintered M3/2 type HSSs with $MoS_2$ addition . . . . . 98
B. Sustarsic, L. Kosec, S. Dolinsek, B. Podgornik

Processing of aluminium alloys by equal channel angular drawing at room temperature . . . . . 105
C.J. Luis Pérez, C. Berlanga, J. Pérez-Ilzarbe

Comparative analysis of injection systems for manufacturing parts . . . . . 112
C.J. Luis, J. Vivancos, I. Puertas, L. Costa, M.A. Sebastián

Domain kinetics simulations in 3D Ising model . . . . . 118
C. Morón, M. Mora

Kinetic models of ordering in two dimensions . . . . . 122
C. Morón, M. Mora

Magneto-impedance effect in amorphous wires . . . . . 126
C. Morón, M.T. Carracedo

Domain structure of local current annealed amorphous ribbons . . . . . 130
C. Moron, A. García, M.T. Carracedo, F. Maganto

Mechanical properties and corrosion behaviour of stainless steel reinforcing bars . . . . . 134
H. Castro, C. Rodriguez, F.J. Belzunce, A.F. Canteli

Characterization of casting iron powder from recycled swarf . . . . . 138
C.E. da Costa, W.C. Zapata, M.L. Parucker

Low-resistivity Mo thin films prepared by evaporation onto 30 cm × 30 cm glass substrates . . . . . 144
C. Guillén, J. Herrero

Fracture toughness of alumina and ZTA ceramics: microstructural coarsening effects . . . . . 148
D. Casellas, M.M. Nagl, L. Llanes, M. Anglada

Kinetic study of the cure process at the silica microfibres/epoxy interface using pyrene fluorescence response . . . . . 153
J. González-Benito, D. Olmos, P.G. Sánchez, A.J. Aznar, J. Baselga

Modifying the properties of titanium surface with the aim of improving its bioactivity and corrosion resistance . . . . . 158
D. Krupa, J. Baszkiewicz, J.W. Sobczak, A. Biliński, A. Barcz

Nutting creep in polymer composites . . . . . 164
D.W.A. Rees

Thermal properties and interactions in blends of poly(ε-caprolactone) with unsaturated polyester resins . . . . . 171
D. Nava, C. Salom, M.G. Prolongo, R.M. Masegosa

Some aspects about the mathematical modelling results of an S.G. cast iron with special properties . . . . . 175
D. Seceleanu, I. Milosan, R. Dobrota

The influence of defects on high cycle fatigue of metallic materials . . . . . 179
H. Danninger, B. Weiss

Synthesis of $Al_2O_3$–NbC by reactive milling and production of nanocomposites . . . . . 185
E.M.J.A. Pallone, V. Trombini, W.J. Botta F, R. Tomasi

Adhesive bonding between aluminium and polytetrafluoroethylene . . . . . 191
E. David, A. Lazar

Morphological analysis of SSM Al–4.5 wt.% Cu measured by the rheocast quality index . . . . . 195
E.J. Zoqui

Improvement of damage prediction by anisotropy of microvoids . . . . . 202
P. Croix, F. Lauro, J. Oudin, J. Christlein

Cure effects on post-impact tensile characteristics of 2D epoxy composites . . . . . 209
F. Segovia, M.D. Salvador, V. Amigó, A. Vicente

Methodology in gas assisted moulding of plastics . . . . . 214
F.J. Castany, F. Serraller, I. Clavería, C. Javierre

Case studies in adhesives selection . . . . . 219
J.C. Suárez, I. Diez de Ulzúrrun, M.V. Biezma, J.M. Ruiz Román, M.A. Martínez, J.C. del Real, F. López

Modelling of infrared heating of thermoplastic sheet used in thermoforming process . . . . . 225
F.M. Schmidt, Y. Le Maoult, S. Monteix

Plastic forming of $Al_2O_3$ ceramic substrates . . . . . 232
F.A. Mesquita, M.R. Morelli

Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools . . . . . 237
G.C. Benga, A.M. Abrao

Finite element analysis of the formability of an austenitic stainless steel sheet in warm deep drawing . . . . . 242
H. Takuda, K. Mori, T. Masachika, E. Yamazaki, Y. Watanabe

Finite element simulation of the hip joint during stumbling: a comparison between static and dynamic loading . . . . . 249
H.F. El'Sheikh, B.J. MacDonald, M.S.J. Hashmi

Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying . . . . . 256
H. Ogawa, H. Miura

Virtual processing in intelligent BHF control deep drawing . . . . . 261
H. Koyama, K.-i. Manabe

Autoclave forming of thermoplastic composite parts . . . . . 266
I. Fernández, F. Blas, M. Frövel

Static analysis of the guiding bearing drill contact by finite element method . . . . . 270
I. Ciupitu, N. Dumitru, St. Gheorghe, C. Teisanu

Photo-initiated generation of a selective layer on polyacrylonitrile (PAN) composite membranes . . . . . 277
J. Frahn, G. Malsch, H.-H. Schwarz

A set of unified constitutive equations for modelling microstructure evolution in hot deformation . . . . . 281
J. Lin, Y. Liu

Automatic quantification of phases and mechanical characterization of materials based on Portland clinker modified with silica and alumina additions . . . . . 286
J.M. García-Márquez, N. Antón, R. Gamboa, M.A. Martinez, F. Velasco

Viability study and mechanical characterisation of copper–graphite electrical contacts produced by adhesive joining . . . . . 290
J.M. García-Márquez, N. Antón, A. Jimenez, M. Madrid, M.A. Martinez, J.A. Bas

Tensions and deformations of WC–Co cermets and 17-4 PH steel vacuum brazed joints . . . . . 294
J. Nowacki, M. Kawiak

On the evaluation of strain inhomogeneity by hardness measurement of formed products . . . . . 300
J. Petruška, L. Janíček

Structure and properties of Al–7Si–Ni and Al–7Si–Cu cast alloys nonmodified and modified with Sr. . . . . 306
J.A. García-Hinojosa, C.R. González, G.M. González, Y. Houbaert

Water absorption in polyaminosiloxane-epoxy thermosetting polymers . . . . . 311
J.C. Cabanelas, S.G. Prolongo, B. Serrano, J. Bravo, J. Baselga

Optical fibre sensors for monitoring of welding residual stresses . . . . . 316
J.C. Suárez, B. Remartínez, J.M. Menéndez, A. Güemes, F. Molleda

Hot deformation of duplex stainless steels . . . . . 321
J.M. Cabrera, A. Mateo, L. Llanes, J.M. Prado, M. Anglada

Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts . . . 326
M.A. Martínez, C. Guillén

Curing of polymer matrix composites. Fluorescence study of dansyl fluorophore labeled to glass fibers and DGEBA–ethylenediamine epoxy resin . . . . . 332
J. Pozuelo, J. Baselga

An orthotropic specific damage model with inclusion consideration . . . . . 337
C. Bordreuil, E. Salle, J.-C. Boyer

Developments to manufacture structural aeronautical parts in carbon fibre reinforced thermoplastic materials . . . . . 342
J. Díaz, L. Rubio

Strain-induced martensite in ADI alloys . . . . . 347
J.L. Garin, R.L. Mannheim

Effect of ductile layers in mechanical behaviour of TiAlN thin coatings . . . . . 352
J.M. Castanho, M.T. Vieira

Influence of TCO dry etching on the properties of amorphous-silicon solar cells . . . . . 358
J.J. Gandía, J. Cárabe, M.T. Gutiérrez

Surface quality improvement of multistage forged microparts for wristwatches . . . . . 362
K. Yoshida, I. Kuboki, S. Norasethasopon

Simulation of deformation and temperature in caliber rolling: effect of finite-element mesh in cross-section . . . . . 367
K. Komori

On the optimisation of superplastic forming processes by the finite-element method. . . . . 373
L. Carrino, G. Giuliano, C. Palmieri

Mechanical characterisation of AA7015 aluminium alloy reinforced with ceramics . . . . . 378
L.E.G. Cambronero, E. Sánchez, J.M. Ruiz-Roman, J.M. Ruiz-Prieto

Surface profiles of composites with PTFE matrix . . . . . 384
L. Tomescu, M. Rîpă, E. Vasilescu, C. Georgescu

Surface roughness prediction by factorial design of experiments in turning processes . . . . . 390
I. Puertas Arbizu, C.J. Luis Pérez

Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process. . . . . 397
L. Castro, S. Merino, B. Levenfeld, A. Várez, J.M. Torralba

Modeling thermomechanical processing of austenite . . . . . 403
J.M. Cabrera, J. Ponce, J.M. Prado

Corrosion and biaxial fatigue of welded structures . . . . . 410
M.A. Wahab, M. Sakano

Forming stability of an Al–Ti–Mo intermetallic compound and its dependence on microstructure . . . . . 416
M. Carsí, I. Rieiro, J.A. Jiménez, F. Peñalba, O.A. Ruano

DC conductivity of GeSeAg glasses at room temperature . . . . . 420
M. Mirandou, M. Fontana, B. Arcondo

New approach for high resistivity CdTe preparation . . . . . 425
M. Zha, F. Bissoli, L. Zanotti, C. Paorici

Methods for the determination of arc stability . . . . . 430
M. Suban, J. Tušek

Limiting thickness estimation in polycarbonate lenses injection using CAE tools . . . . . 438
M. Pazos, J. Baselga, J. Bravo

The use of internal friction techniques as a quality control tool in the mild steel industry . . . . . 442
L.J. Baker, J.D. Parker, S.R. Daniel

Weld growth mechanism of resistance spot welds in zinc coated steel. . . . . 448
N. Harlin, T.B. Jones, J.D. Parker

Recovering inorganic wastes . . . . . 454
M.T. Vieira, F.M. Barreiros, L. Catarino

Optimization of titanium alloy (6Al–4V) machining . . . . . 458
M.V. Ribeiro, M.R.V. Moreira, J.R. Ferreira

Sintering behaviour improvement of a low Cr–Mo prealloyed powder steel through Mn additions and others liquid phase promoters 464
M. Campos, D. Sanchez, J.M. Torralba

Magnetic properties of Mg-ferrite after milling process . . . . . 470
M.E. Rabanal, A. Várez, B. Levenfeld, J.M. Torralba

Influence of alloying element additions on tribological behaviour of sintered steels with high content in manganese–nickel . . . . 475
N. Antón, J.L. Delgado, F. Velasco, J.M. Torralba

The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds . . . . . 481
N. Vidakis, A. Antoniadis, N. Bilalis

Manufacturing $B_4C$–(Al,Si) composite materials by metal alloy infiltration . . . . . 486
N. Frage, L. Levin, N. Frumin, M. Gelbstein, M.P. Dariel

Critical thickness estimation in ISO-MC cards injection using CAE tools . . . . . 491
N. García, E. González, J. Baselga, J. Bravo

A fluorescence method to estimate the distribution of stresses in polymer materials . . . . . 495
D. Olmos, A.J. Aznar, J. González-Benito, J. Baselga

Processing of $Gd_2O_3$:Eu phosphor particles through aerosol route. . . . . 501
O. Milosevic, L. Mancic, B. Jordovic, R. Maric, S. Ohara, T. Fukui

Equal channel angular extrusion in a commercial Al–Mn alloy . . . . . 506
C.J. Luis Pérez, P. González, Y. Garcés

Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation" ..... 512
P.L. López-Alemany, J. Vázquez, P. Villares, R. Jiménez-Garay

Mechanical properties of polypropylene reinforced with recycled-pet fibres ..... 517
P. Santos, S.H. Pezzin

A study on the machining parameters optimisation of electrical discharge machining ..... 521
I. Puertas, C.J. Luis

Characterisation and application of titanium carbonitride-based cutting tools ..... 527
A. Bellosi, R. Calzavarini, M.G. Faga, F. Monteverde, C. Zancolò, G.E. D'Errico

Structural identification of phases in Mo–Re alloys within the range from 5 to 95% Re ..... 533
R.L. Mannheim, J.L. Garin

Mechanical solutions for drawing processes under plane strain conditions by the upper bound method ..... 539
E.M. Rubio Alvir, M.A. Sebastián Pérez, A. Sanz Lobera

Diffusion control on the cure kinetics of DGEBA with ethylenediamines ..... 546
S.G. Prolongo, F. Mikes, J.C. Cabanelas, S. Paz-Abuín, J. Baselga

The effect of Cu-macroalloying on β-NiAl intermetallic compound obtained by mechanical alloying ..... 551
S. García-Galán, G. Arámburo-Pérez, C. González-Rivera, J. Juárez-Islas

Microstructural characterisation of powder metallurgy M35MHV HSS as a function of the processing route ..... 555
S. Gimenez, I. Iturriza

Sinter-joining of different metal powder compacts using resistance heating ..... 561
S. Maki, Y. Harada, K. Mori

Simulation of the stir casting process ..... 567
S. Naher, D. Brabazon, L. Looney

Microstructural engineering of functionally graded materials by electrophoretic deposition ..... 572
S. Put, J. Vleugels, O. Van der Biest

Effects of thermocapillary forces during welding of 316L-type wrought, cast and powder metallurgy austenitic stainless steels .. 578
S. Sgobba, T. Daniellou

An improved billet on billet extrusion process of continuous aluminium alloy shapes for cryogenic applications in the Compact Muon Solenoid experiment ..... 584
S. Sequeira Tavares, S. Sgobba

Finite element simulation of stent and balloon interaction ..... 591
S.N. David Chua, B.J. Mac Donald, M.S.J. Hashmi

Development of Al–Si–Mg alloys reinforced with diboride particles ..... 598
M.D. Salvador, V. Amigó, N. Martinez, C. Ferrer

Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics ..... 605
M.D. Salvador, V. Amigó, N. Martinez, D.J. Busquets

Formability enhancement in magnesium alloy deep drawing by local heating and cooling technique ..... 612
S. Yoshihara, H. Yamamoto, K. Manabe, H. Nishimura

Creep analysis in an isotropic FGM rotating disc of Al–SiC composite ..... 616
S.B. Singh, S. Ray

Newly proposed yield criterion for residual stress and steady state creep in an anisotropic composite rotating disc ..... 623
S.B. Singh, S. Ray

Growth morphology of the NiAl–V in situ composites ..... 629
S. Milenkovic, R. Caram

Determination of the optimal process parameters in metal injection molding from experiments and numerical modeling ..... 636
Th. Barriere, B. Liu, J.C. Gelin

Friction-assisted pressing of PM components ..... 645
T. Canta, D. Frunza

Laser brazing of aluminium ..... 651
T. Markovits, J. Takács, A. Lovas, J. Belt

The effect of V-ring indenter on the sheared surface in the fine-blanking process of pawl ..... 656
T.S. Kwak, Y.J. Kim, M.K. Seo, W.B. Bae

Alumina ceramics cutting by self-sharpening edge technique of diamond ..... 662
T. Inoue, Y. Tsuchida, T. Suzuki, W. Aoki

Development of optimum process design system for sheet fabrication using response surface method. . . . . 667
T. Ohata, Y. Nakamura, T. Katayama, E. Nakamachi

Effect of curing condition on the temperature of test piece in curing process of SMC roll forming . . . . . 673
T. Katayama, M. Shinohara, M. Hakotani, K. Nishii

Degradation of FRP immersed in sulfuric acid aqueous solution. The proposal of the evaluation method which can consider the sulfuric acid aqueous solution temperature, concentration and the test piece width . . . . . 677
T. Katayama, Y. Hosokawa, Y. Sakamoto

Clarification of magnetic abrasive finishing mechanism. . . . . 682
T. Mori, K. Hirota, Y. Kawashima

Resin flow monitoring in resin film infusion process. . . . . 687
V. Antonucci, M. Giordano, L. Nicolais, A. Calabrò, A. Cusano, A. Cutolo, S. Inserra

Evaluation of chemical degradation of commercial polypropylene . . . . . 693
M.D. Salvador, V. Amigó, M.J. Vidal, A. Ribes, L. Contat

Numerical approach for estimating the elastic modulus in MMCs as a function of sintering temperature. . . . . 698
W.M. Lima, F.J. Velasco, J. Abenojar, J.M. Torralba

Mechanical properties as a function of thermal parameters and microstructure of Zn–Al castings. . . . . 703
W.R. Osório, C.A. Santos, J.M.V. Quaresma, A. Garcia

Sandwich-rolling of sintered chromium . . . . . 710
Y. Harada, M. Ohmori, S. Maki, K. Mori

Effect of cutting conditions on press cutting of a square pipe. . . . . 716
Y. Kasuga, T. Machida, N. Kato

Modelling of microstructural evolution in multipass hot rolling . . . . . 723
Y. Liu, J. Lin

Rigid–plastic finite element simulation for process design of impeller hub forming . . . . . 729
Y.S. Kim, H.S. Son, C.I. Kim

Upper bound analysis of torsional backward extrusion process. . . . . 735
Y.H. Kim, J.H. Park

Effects induced in metallic materials due to non-proportional cyclic loading . . . . . 741
Z.L. Kowalewski

Substitute thermal conductivity coefficient for multi-component ceramic materials. . . . . 748
Z. Ignaszak

Water-based processing of high-speed steel utilising starch consolidation . . . . . 752
P. Romano, O. Lyckfeldt, N. Candela, F. Velasco

Design of pass schedule for austenite grain refinement in plate rolling of a plain carbon steel. . . . . 758
C.P. Hong, J.J. Park

A method of making boride and vitreous compound by powder metallurgy . . . . . 764
J.M. Mota, M.A. Martinez, F.J. Velásco, A.J. Criado

Development and characterisation of high-speed steel matrix composites gradient materials . . . . . 769
E.M. Ruiz-Navas, R. García, E. Gordo, F.J. Velasco

Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition . . . . . 776
D.R. Amador, J.M. Torralba

Study of PM alloyed steels with Ni–Cu prealloyed powders . . . . . 781
D.R. Amador, J.M. Torralba

Robust design for mass production . . . . . 786
T. Takahashi

Recycling of aluminium alloy and aluminium matrix composite chips by pressing and hot extrusion . . . . . 792
J.B. Fogagnolo, E.M. Ruiz-Navas, M.A. Simón, M.A. Martinez

Force and deflection modelling in milling of low-rigidity complex parts . . . . . 796
S. Ratchev, E. Govender, S. Nikov, K. Phuah, G. Tsiklos

Size effect on structure and dielectric properties of Nb-doped barium titanate . . . . . 802
B.D. Stojanovic, C.R. Foschini, M.A. Zaghete, F.O.S. Veira, K.A. Peron, M. Cilense, J.A. Varela

Mild steel (En8) rod tests under combined tension–torsion loading. . . . . 807
N.M. Zarroug, R. Padmanabhan, B.J. MacDonald, P. Young, M.S.J. Hashmi

Liquid phase sintering of P/M aluminium alloys: effect of processing conditions . . . . . 814
J.M. Martín, F. Castro

Friction and tribological behavior of (Ti, V)C–Co cermets . . . . . 822
F. Arenas, C. Rondón, R. Sepúlveda

Epoxy resins modified with poly(vinyl acetate) . . . . . 827
A. Lapprand, C. Arribas, C. Salom, R.M. Masegosa, M.G. Prolongo

Properties of the multi-layer Ti/CrN and Ti/TiAlN coatings deposited with the PVD technique onto the brass substrate . . . . . 832
L.A. Dobrzański, K. Lukaszkowicz, A. Križ

Synthesis and properties of in situ $Al_2TiO_5/Al_2O_3$ composite . . . . . 838
I.B. de Arenas, O. Gil

Ceramic products obtained from rock wastes . . . . . 843
L. Catarino, J. Sousa, I.M. Martins, M.T. Vieira, M.M. Oliveira

Dissimilar welds between unreinforced AA6082 and AA6092/SiC/25p composite by pulsed-MIG arc welding using unreinforced filler alloys (Al–5Mg and Al–5Si) . . . . . 846
P.P. Lean, L. Gil, A. Ureña

The use of 9-anthroic acid and new amide derivatives to monitorize curing of epoxy resins . . . . . 851
O. Martin, J. Baselga

Effect of the strain rate and temperature on the mechanical behaviour of a Mg–5%Zn alloy reinforced with SiC particles . . . . . 856
Y. El-Saeid Essa, J.L. Pérez-Castellanos

Quantification of the $SiC_p$ content in molten Al–Si/$SiC_p$ composites by computer aided thermal analysis . . . . . 860
C. Gonzalez-Rivera, J. Baez, R. Chavez, A. García, J. Juarez-Islas

A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry . . . . . 866
P.L. López-Alemany, J. Vázquez, P. Villares, R. Jiménez-Garay

Effect of dopants in the luminescent properties of synthetic quartz for dosimetric purposes . . . . . 871
V. Correcher, J. Garcıa-Guinea, L. Sánchez-Muñoz, A. Delgado

Analysis of surface defects using a novel developed fiber-optics laser scanning system . . . . . 875
A. Abuazza, D. Brabazon, M.A. El-Baradie

Numerical modeling and simulation of carburized and nitrided quenching process . . . . . 880
D.-Y. Ju, C. Liu, T. Inoue

3D numerical simulation of elasto-plastic behaviour in powder compaction process using a quasi-nonlinear technique . . . . . 886
A.R. Khoei, S. Iranfar

Numerical modeling of solid state sintering using heterogeneous packing and diffusion processes . . . . . 891
H. Leclerc, J.C. Gelin

Study on high-speed twin-roll caster for aluminum alloys . . . . . 895
T. Haga, S. Suzuki

2-Component mixing using the vertical vibration mixing mechanism caused by the container wall pressure . . . . . 901
T. Katayama, T. Sugiyama, K. Yamamoto

Advanced type stainless steel 316FR for fast breeder reactor structures . . . . . 905
T. Nakazawa, H. Kimura, K. Kimura, H. Kaguchi

The effect of boron liquid phase sintering on properties of Ni-, Mo- and Cr-alloyed structural steels . . . . . 910
M. Selecká, A. Šalak, H. Danninger

Production of high silicon steel for electrical applications by thermomechanical processing . . . . . 916
T. Ros-Yañez, Y. Houbaert, O. Fischer, J. Schneider

Stress and adhesion in DLC coatings on 316L stainless steel deposited by a neutral beam source . . . . . 922
M.M. Morshed, B.P. McNamara, D.C. Cameron, M.S.J. Hashmi

**Author Index** . . . . . 927
**Subject Index** . . . . . 930